

Date: Friday, 29/05/2009 3:48:40 PM  
 User: Julie Dawson

## Process Sheet

<b>Customer</b>	: CU-DAR001 Dart Helicopters Services	<b>Drawing Name</b>	: BASKET BASE ASSEMBLY (350)
<b>Job Number</b>	: 48300C		
<b>Estimate Number</b>	: 10189		
<b>P.O. Number</b>	:	<b>Part Number</b>	: D2221
<b>This Issue</b>	: 29/05/2009	<b>S.O. No.</b>	:
<b>Prsht Rev.</b>	: NC	<b>Drawing Number</b>	: D2221 REV H
<b>First Issue</b>	: 29/05/2009	<b>Project Number</b>	: N/A
<b>Previous Run</b>	: 48299C	<b>Drawing Revision</b>	: H
		<b>Material</b>	:
<b>Written By</b>	:	<b>Due Date</b>	: 08/06/2009
<b>Checked &amp; Approved By</b>	: <u>5009.05.29</u>	<b>Qty:</b>	1 Um: Each
<b>Comment</b>	: Est Rev:J 05.09.02 Added D3442-1 KJ/JLM Est Rev:K 08-08-29 revG as per dwg DD verified by:EC Est Rev:L 08-09-24 plug holes prior to powder coat DD verified by:EC Est Rev:M 08-12-02 revH as per dwg DD verified by:		

## Additional Product

Job Number:



<b>Seq. #:</b>	<b>Machine Or Operation:</b>	<b>Description :</b>
----------------	------------------------------	----------------------

✓ 1.0	D22211	Rib	
<b>Comment:</b> Qty.: 1.0000 Each(s)/Unit Total : 1.0000 Each(s) Rib batch: <u>B 47952</u> → 1x <u>SM 09/06/03</u>			
✓ 2.0	D22215	Rib	
<b>Comment:</b> Qty.: 2.0000 Each(s)/Unit Total : 2.0000 Each(s) Rib batch: <u>B 46768</u> → 2x <u>SM 09/06/03</u>			
✓ 3.0	D22217	Rib	
<b>Comment:</b> Qty.: 1.0000 Each(s)/Unit Total : 1.0000 Each(s) Rib batch: <u>B 46366</u> → 1x <u>SM 09/06/03</u>			
✓ 4.0	D22323	Basket Hinge	
<b>Comment:</b> Qty.: 2.0000 Each(s)/Unit Total : 2.0000 Each(s) Basket Hinge batch: <u>B 46822</u> → 2x <u>SM 09/06/03</u>			

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

Date: Friday, 29/05/2009 3:48:40 PM  
User: Julie Dawson

## Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: BASKET BASE ASSEMBLY (350)

Job Number: 48300C

Part Number: D2221

Job Number:



Seq. #:	Machine Or Operation:	Description :
---------	-----------------------	---------------

✓ 5.0

D22351

Basket Rib



Comment: Qty.: 2.0000 Each(s)/Unit Total : 2.0000 Each(s)

Basket Rib

batch: B 47953 → 2x

SY 09/06/03

✓ 6.0

D2581

Mounting Bracket



Comment: Qty.: 2.0000 Each(s)/Unit Total : 2.0000 Each(s)

Mounting Bracket

batch: B 47264 → 2x

SY 09/06/03

✓ 7.0

D34421

Shim



Comment: Qty.: 2.0000 Each(s)/Unit Total : 2.0000 Each(s)

Shim

batch: B 46809 → 2x

SY 09/06/03

✓ 8.0

D3825041

Rib Assembly (Basket End)



Comment: Qty.: 2.0000 Each(s)/Unit Total : 2.0000 Each(s)

Rib Assembly (Basket End)

batch: B 46773 → 2x

SY 09/06/03

✓ 9.0

D3826041

Rib / Gusset Assembly



Comment: Qty.: 2.0000 Each(s)/Unit Total : 2.0000 Each(s)

Rib / Gusset Assembly

batch: B 46723 → 2x

SY 09/06/03

✓ 10.0

D3827041

Rib Assembly (Inboard)



Comment: Qty.: 1.0000 Each(s)/Unit Total : 1.0000 Each(s)

Rib Assembly (Inboard)

batch: B 46476 → 1x

SY 09/06/03

✓ 11.0

D38331

Mesh (Base End Face)



Comment: Qty.: 2.0000 Each(s)/Unit Total : 2.0000 Each(s)

Mesh (Base End Face)

batch: B 46811 → 2x

SY 09/06/03

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

Date: Friday, 29/05/2009 3:48:40 PM  
User: Julie Dawson

## Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: BASKET BASE ASSEMBLY (350)

Job Number: 48300C

Part Number: D2221

Job Number:



Seq. #:

Machine Or Operation:

Description :

12.0

D38321

Mesh (Base)



Comment: Qty.: 1.0000 Each(s)/Unit Total: 1.0000 Each(s)

Mesh (Base)

batch: B47266 → 1x

SM 09/06/03

13.0

LARGE FAB 1

LARGE FABRICATION RESOURCE 1



Comment: LARGE FABRICATION RESOURCE 1

1- assemble all ribs and both D2581 in DT9444 jig, weld as per dwg D2221

2- remove basket from jig and weld D3442-1 shims and D2232-3 hinges as per dwg D2221

3- tack weld mesh on basket as per dwg D2221

A/R ER316 S.S. Rod Batch: M109213

SM 09/06/03

14.0

QC9

VISUAL WELDING INSPECTION



Comment: VISUAL WELDING INSPECTION

Pl 09.06.03

15.0

QC6

DIMENSIONAL CHECK



Comment: DIMENSIONAL CHECK

SM 09/06/03

16.0

POWDER COATING

pressure

POWDER COATING



Comment: POWDER COATING

1- Plug holes prior to powder coating

2- Powder Coat White Gloss (Ref: 4.3.5.1) as per QSI 005 4.3

1ST COAT:

START TIME: 8:10am

OVEN TEMPERATURE: 400°C

FINISH TIME: 8:40am

\*\*\*\*\* 2nd coat if necessary \*\*\*\*\*

2ND COAT:

START TIME: 9:00am

OVEN TEMPERATURE: 400°C

FINISH TIME: 9:30am

SM 09-06-09 (21)

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

Date: Friday, 29/05/2009 3:48:40 PM  
User: Julie Dawson

## Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: BASKET BASE ASSEMBLY (350)

Job Number: 48300C

Part Number: D2221

Job Number:



Seq. #:

Machine Or Operation:

Description :

17.0

QC3

INSPECT POWDER COAT/CHEMICAL CONVERSION



Comment: INSPECT POWDER COAT/CHEMICAL CONVERSION

*BK 09-06-9 ②*

18.0

QC21

FINAL INSPECTION/W/O RELEASE



Comment: FINAL INSPECTION/W/O RELEASE

*09/06/11*

Job Completion



*MF 09-06-11*

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector


Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			
	-							

**NOTE:** Date & initial all entries





**D2221 BASKET BASE ASSEMBLY (AS350)**  
(MESH SHOWN LOCALLY FOR CLARITY)

SHOP COPY  
RETURN TO  
ENGINEERING  
UNCONTROLLED COPY  
SUBJECT TO AMENDMENT  
WITHOUT NOTICE  
WORK ORDER  
NO. 48300



**NOTES:**

- 1) MATERIAL: N/A
- 2) FINISH: POWDER COAT GLOSS WHITE (4.3.5.2) PER DART QSI 005 4.3
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 8) WEIGHT: 42.00 lbs APPROX
- 9) MASK ALL HOLES PRIOR TO POWDER COATING

ITEM	QTY	P/N	DESCRIPTION
1	X	D2221	BASKET BASE ASSEMBLY (AS350)
2	1	D2221-1	RIB
3	2	D2221-5	RIB
4	1	D2221-7	RIB
5	2	D2232-3	BASKET HINGE
6	2	D2235-1	RIB
7	2	D2581	MOUNTING BRACKET
8	2	D3442-1	SHIM
9	2	D3825-041	RIB ASSY (BASKET END)
10	2	D3826-041	RIB/GUSSET ASSY
11	1	D3827-041	RIB ASSY (INBOARD)
12	2	D3833-1	MESH, BASE END FACE
13	1	D3832-1	MESH (BASE)



RELEASED  
05/11/16

H	REVISED PARTS LIST AND ADDED "ITEM" COLUMN TO PARTS LIST (ZN D3-1); REVISED SECTIONS A-A, B-B AND C-C (ZN C6-3, C2-3 AND A6-3); REVISED DETAIL D (ZN B7-4); ADDED DETAIL E (ZN A6-4); ADDED SECTION F-F (ZN B2-4); ADDED DWG DETAILS FOR D2221-1/-5/-7 (SHEET 5); TOL REVISED TO 2 DEC PLACES (ZN D8-3 AND ZN B4-3); D3825-041 REPLACES D2221-3/D2227-3; D3826-041 REPLACES D2235-1/D2325; D3827-041 REPLACES D2221-1 ON INBOARD SIDE; ADDED D3832-1 AND D3833-1. REASON: SATISFY "LEAN MANUFACTURING" PROGRAM.	MB	08.09.18
G	MATERIAL FOR -1, -3, -5 & -7 WAS 0.060 WALL; TOLERANCE FOR 96.00 DIM WAS +/-0.01 AND 56.00 DIM WAS REF (ZN B5-2); 19.62 DIM WAS "HARD" DIMENSION IS NOW "REF" (ZN B4-2); NOTE 5 TRANSFERRED FROM SHT 1 TO SHT 2; SHT 2 MESH MATERIAL UPDATED; DRAWING TRANSFERRED TO "B" FORMAT	AJS	08.06.16
F	ADD SHIM UNDER HINGE; ADD HOLES FOR SPLIT LID BASKET	PH	05.06.07
E	CHANGE HINGE	CP	01.04.19
D	CHANGE LATCH	BW	96.06.21
C	SEPARATE BASKET AND LID	KH	95.11.21
REV.	DESCRIPTION	BY	DATE
DESIGN	BW	<b>DART AEROSPACE LTD</b> HAWKESBURY, ONTARIO, CANADA	
DRAWN			
CHECKED	AS	DRAWING NO.	REV. H
MFG. APPR.		D2221	SHEET 1 OF 5
APPROVED		TITLE	SCALE
DE APPR.		BASKET BASE ASSEMBLY (350)	NTS
DATE	08.09.18	<small>COPYRIGHT © 1984 BY DART AEROSPACE LTD  THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD</small>	




**D2221 BASKET BASE ASSEMBLY (350)**  
(MESH SHOWN LOCALLY FOR CLARITY)

**RELEASED**  
06/11/18 NAD

DESIGN	BW	<b>DART AEROSPACE LTD</b>	
DRAWN		HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. H
MFG. APPR.		D2221	SHEET 2 OF 5
APPROVED		TITLE	SCALE
DE APPR.		<b>BASKET BASE ASSEMBLY (350) NTS</b>	
DATE	08.09.18	COPYRIGHT © 1984 BY DART AEROSPACE LTD	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			

SHOP COPY  
RETURN TO  
ENGINEERING  
UNCONTROLLED COPY  
SUBJECT TO AMENDMENT  
WITHOUT NOTICE  
WORK ORDER  
NO. 48300





RELEASED  
03/11/76

DESIGN	BW	<b>DART AEROSPACE LTD</b>	
DRAWN	SS	HAWKESBURY, ONTARIO, CANADA	
CHECKED	SS	DRAWING NO.	REV. H
MFG. APPR.		D2221	SHEET 3 OF 5
APPROVED	MC	TITLE	SCALE
DE APPR.		<b>BASKET BASE ASSEMBLY (350) NTS</b>	
DATE	08.09.18	COPYRIGHT © 1994 BY DART AEROSPACE LTD <small>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	

NO. 483002  
WORK ORDER  
WITHOUT NOTICE  
SUBJECT TO AMENDMENT  
CONTROLLED COPY  
ENGINEERING  
RETURN TO  
SHIP COPY

8 7 6 5 4 3 2 1





RELEASED  
08/11/8



NO. 178300  
WORK ORDER  
WITHOUT NOTICE  
SUBJECT TO AMENDMENT  
UNCONTROLLED COPY  
ENGINEERING  
RETURN TO  
SHOP COPY  
DART AEROSPACE LTD

DESIGN	BW	<b>DART AEROSPACE LTD</b>	
DRAWN		HAWKESSBURY, ONTARIO, CANADA	
CHECKED	<i>[Signature]</i>	DRAWING NO.	REV. H
MFG. APPR.	<i>[Signature]</i>	D2221	SHEET 4 OF 5
APPROVED	<i>[Signature]</i>	TITLE	SCALE
DE APPR.	<i>[Signature]</i>	<b>BASKET BASE ASSEMBLY (350) NTS</b>	
DATE	08.09.18	COPYRIGHT © 1984 BY DART AEROSPACE LTD	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			

8 7 6 5 4 3 2 1



**D2221-1 RIB**



**D2221-5/-7 RIB**

NO. 42300  
 WORK ORDER  
 WITHOUT NOTICE  
 SUBJECT TO AMENDMENT  
 UNCONTROLLED COPY  
 ENGINEERING  
 RETURN TO  
 SHOP COPY

**RELEASED**  
 08/11/18

- NOTES:**
- 1) MATERIAL: AISI 304/316 STAINLESS STEEL SQUARE TUBE, 0.75 X 0.75 X 0.065 WALL  
 REF. DART SPEC. M304TS0.750W0.065
  - 2) FINISH: NONE
  - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
  - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
  - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
  - 6) IDENTIFICATION: N/A
  - 8) WEIGHT: D2221 -1 = 4.57 lbs; D2221-5 = 0.90 lbs; D2221-7 2.65 = lbs

DESIGN	BW	<b>DART AEROSPACE LTD</b>	
DRAWN		HAWKESBURY, ONTARIO, CANADA	
CHECKED	AS	DRAWING NO. D2221	REV. H
MFG. APPR.	MS		SHEET 5 OF 5
APPROVED	W	TITLE	SCALE
DE APPR.	CH	<b>BASKET BASE ASSEMBLY (350) NTS</b>	
DATE	08.09.18	<small>COPYRIGHT © 1994 BY DART AEROSPACE LTD          THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS          NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT          WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	